Listing of Claims:

Please replace the claims with the following complete set of claims.

 (Previously Presented) A device for manipulating a molecule in vivo relative to a target tissue comprising:

a plurality of generally cylindrical nonconducting core posts for insertion into the target tissue, each of the plurality of core posts comprising at least three discrete electrodes, each of the at least three discrete electrodes being circumferential rings disposed to surround the nonconductive core post and each of the at least three electrodes positioned in axially spaced apart relation along the nonconducting core post, each electrode being in independent circuit communication with a respective portion of a source of electrical energy, the electrodes being configured to establish a first electromagnetic field *in vivo* between selected electrodes sufficient to cause electromigration of a molecule through the target tissue along the axial length of the core post between the selected electrodes and a second electromagnetic field sufficient to cause transient permeability of a cell membrane within the target tissue between the selected electrodes and an insulating material interposed axially between the circumferential ring electrodes for achieving relative electromagnetic isolation of the electrodes: and

a support member, the support member affixed to the plurality of core posts and the core posts being disposed about the support in spaced relation from each other and configurable to surround a periphery of at least a portion of the target tissue.

- (Previously Presented) The device recited in Claim 1, wherein the second field is higher in strength than the first field.
- (Previously Presented) The device recited in Claim 1, wherein the nonconducting core post is geometrically adapted for insertion into the target tissue.
- (Previously Presented) The device recited in Claim 1, wherein the nonconducting core post has a tip positioned at a distal end of the core post to aid in the insertion of the post into the target tissue.
- 5. (Canceled)

- (Previously Presented) The device recited in Claim 1, wherein at least two of the plurality of
 core posts are adapted to provide at least one pair of opposite-polarity voltages
 approximately simultaneously on at least one electrode on each core post.
- (Original) The device recited in Claim 1, further comprising means for selectively activating a selected plurality of electrodes in a predetermined pattern.
- (Original) The device recited in Claim 1, wherein the electrodes are substantially simultaneously activatable.
- 9. (Previously Presented) The device recited in Claim 1, wherein the nonconducting core post has a lumen therethrough extending from an opening adjacent a top of the post to a portal positioned along the post beneath the top opening for passing a substance therethrough to the target tissue.
- (Previoulsy Presented) The device recited in Claim 9, wherein the portal is positioned adjacent a bottom tip of the post.
- 11. (Previously Presented) The device recited in Claim 9, wherein the portal is positioned along the post adjacent an electrode.
- 12. (Canceled)
- 13. (Canceled)
- 14. (Canceled)